



CT - 466

**SPECIALTY CLEANER**

# **NEXT SAFETY SOLVENT**

## **FEATURES**

- High power spray dissolves grease and removes grime
- 36,200 Volt Dielectric Strength
- No petroleum distillates
- No CFC's; Ozone Safe
- Fast Drying
- Safe on energized electrical equipment

## **PROPERTIES**

**Appearance:** Clear liquid with solvent odor.

**Boiling point:** 155 °F

**Specific gravity:** 1.33 gr/cc

**Non volatiles:** Not Determined

**Solubility in water:** Insoluble

**Flash point:** None

**Storage stability:** Keep away from open flames and oxidizers

**Flammability:** Non-flammable Aerosol

**Packaging:** 12x18oz Net Wt. Cans/Case

NEXT SAFETY SOLVENT is a super fast drying, residue free, high power spray that dissolves grease and rinses away dirt and grime without damaging any working parts. This non-flammable solvent features a 36,200 Volt dielectric strength, making it the only degreaser that is safe for use on generators, motors, relays, and control panels even while equipment is in operation. NEXT SAFETY SOLVENT contains no CFC's, ozone depleting chemicals or petroleum distillates. It also contains an accepted replacement for 1,1,1-Trichloroethane under the EPA SNAP program.

To use, saturate part to be cleaned. Wipe or allow to air dry. Use brush and rinse off with a second application if needed. Product may damage paint so spot testing is recommended. Refer to the attached SDS for precautions. The information contained in this safety sheet is aimed at creating a guide for the selection and use of the product. However, we are not responsible for any use not recommended by ChemTron.

ChemTron


3911 SW 47th AVE

Davie, Florida 33314

Tel: (954) 584 - 4530

Fax: (954) 584 - 4531

[www.chemtron.com](http://www.chemtron.com)



**PROFESSIONAL ENGINEERING PRODUCTS**

- Properties are typical and subject to usual manufacturing tolerances.