5 Z

IJ

Ž

0

いの日



## **NO SWEAT PIPE INSULATION**

- Prevents Condensation and Moisture Build-up
- Convenient aerosol spray
- Water Resistant
- Adheres to Stainless Steel, Black Iron, Copper, Brass, Galvanized and PVC
- Durable & Flexible
- May be painted when dry

low solvent odor. Boiling point: >244 °F Specific gravity: 0.848 gr/cc Non volatiles: 10 %

Appearance: White liquid with

Solubility in water: Negligible

Flash point: 67 °F

*Storage stability:* Keep away from high temperatures and open flames

*Flammability:* Flammable *Packaging:* 12x15oz Net Wt. Cans/Case

manufacturing tolerances.


Properties are typical and subject to usual

No Sweat PIPE INSULATION prevents condensation on cold water pipes, refrigeration lines and coils, condensers, valves and fittings. It insulates and prevents moisture build up on water tanks, ice machines, air conditioning ducts and toilet tanks.

No Sweat PIPE INSULATION also provides a "quilting" effect by trapping moving air in special air pockets created by stipple texture. The convenient aerosol spray is easy to apply in hard to reach areas and conforms to irregularly shaped surfaces. It dries quickly to a clean, white insulation which is non-flammable when dry.

Refer to the label and attached SDS for instructions and precautions. The information contained in this safety sheet is aimed at creating a guide for the selection and use of the product. However, we are not responsible for any use not recommended by ChemTron.

ChemTron 3911 SW 47th AVE Davie, Florida 33314 Tel: (954) 584 - 4530 Fax: (954) 584 - 4531 www.chemtron.com



FEATURES